


Blue-Green Deployments

Agenda

1. Blue-Green Routing
2. Implications on App Design

Blue-Green Deployment


Zero downtime when upgrading can be accomplished with blue-green deployments.



Blue-Green Deployment

Before


`myapp.cfapps.io`




`myapp-temp.cfapps.io`



Blue-Green Deployment



Blue-Green Deployment



Agenda

1. Blue Green Routing
2. Implications on App & Data Model Design

Serializing Objects

If using serializing objects, don't make destructive changes.

e.g. don't remove fields, do have a
`serialVersionUID`

The 12 Factors

Codebase

Dependencies

Config

Backing
Services

Build, release,
run

Processes

Port binding

Concurrency

Disposability

Dev/prod parity

Logs

Admin Processes

Admin Processes

Run admin/mgmt tasks as one-off processes.

e.g. migrating data

Database

Do make changes idempotent.

e.g. copy data to a new field (don't delete data)

Database

No destructive database changes allowed.

e.g. don't drop a column

Database

Do have backwards compatible changes.

e.g. nullable fields

A dark, atmospheric photograph of the Golden Gate Bridge in San Francisco, partially obscured by a thick layer of fog. The bridge's iconic towers and suspension cables are visible against a grey, overcast sky. The foreground shows a dark, rocky hillside.

Pivotal[®]

Transforming How The World Builds Software